Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"5483586".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 09:19
S2	125	(directory or catalog) with update$2 same (electronic adj mail.or e-mail or email) and @ad<"20020304"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 09:27
S3	1	(directory or catalog) with update$2 same how near2 retriev$2 and @ad<"20020304"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 09:28
S4	27	update$2 same how near2 retriev$2 and @ad<"20020304"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 09:30
S5	22	(e-mail or electronic adj mail or email) same how near2 retriev$2 and @ad<"20020304"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 09:45
S6	5	(e-mail$2 or electronic adj mail$2 or email$2) with password same retriev$2 with update$2 and @ad<"20020304"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 09:48
S7	1	password same retriev$2 with update$2 same (catalog$2 or directory) and @ad<"20020304"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 09:51
S8	754	(catalog$2 or directory) adj update$2 and @ad<"20020304"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 09:52

S9	45	(catalog$2 or directory) adj update$2 same (electronic adj mail$2 or e-mail$2 or email$2) and @ad<"20020304"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 10:12
S10	0	"20020069097".pn. and confidential	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 09:59
S11	0	"20020069097".pn. and encrypt$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 09:59
S14	40	(catalog$2 or directory) adj change$2 same (electronic adj mail$2 or e-mail$2 or email$2) and @ad<"20020304"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 10:25
S15	6	(log) adj change$2 same (electronic adj mail$2 or e-mail$2 or email$2) and @ad<"20020304"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 10:25
S16	367	(log$3 or file) near2 (change$2 or update$2) same (electronic adj mail$2 or e-mail$2 or email$2) and @ad<"20020304"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 10:27
S17	5	(log$3 or file) near2 (change$2 or update$2) with (electronic adj mail$2 or e-mail$2 or email$2) with (retriev$2 or obtain$3) and @ad<"20020304"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 10:41
S18	160	synchroniz$3 near2 (directory or catalog$2) and @ad<"20020304"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 10:29

S19	149	(log$3 or file) near2 (change$2 or update$2) with (electronic adj mail$2 or e-mail$2 or email$2) and @ad<"20020304"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 10:42
S20	157	(log$3 or file) near2 (change$2 or update$2) same (electronic adj mail$2 or e-mail$2 or email$2 or ((send$2 or transmit$4) with message)) same (directory or database or catalog$2) and @ad<"20020304" not S14	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 10:53
S23	2	"20020199116".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 10:53
S24	0	"20020069097".pn. and (SSL or secure with socket$2)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 12:21
S25	192	notif$3 near (user or client) near3 update$2 and @ad<"20020304"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 13:19
S26	2	notif$3 near (user or client) near3 update$2 same (directory or catalog$2) and @ad<"20020304"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 13:20
S27	13	notif$3 near (user or client) near3 update$2 with (complet$3 or terminat$3 or finish$3) and @ad<"20020304"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 13:30
S28	105	notif$3 with update$2 with error$3 and @ad<"20020304" not S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 13:32

S29	196	(notif$3 or alert$3 or inform$3) with update$2 with error$3 and @ad<"20020304" not S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 13:33
S30	218	(notif$3 or alert$3 or inform$3) with (update$2 or log adj file) with error$3 and @ad<"20020304" not S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 13:33
S31	74	(notif$3 or alert$3 or inform$3) near3 error$3 with (update$2 or log adj file) and @ad<"20020304" not S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 13:38
S32	13	(notif$3 or alert$3 or inform$3) with (update$2) near fail$2 and @ad<"20020304" not S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 13:39
S33	16	(notif$3 or alert$3 or inform$3) with (update$2) near2 (fails or failed) and @ad<"20020304" not S27	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 13:39
S34	0	"6266809".pn. and (SSL or (secure with socket$2))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 13:44
S35	0	"20020067504".pn. and (SSL)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/28 13:44